



The Leader in Fire-Rated Storage Solutions



**FireKing International, LLC**  
101 Security Parkway, New  
Albany, IN 47150 USA

FireKing.com  
1-800-457-2424

FireKing.com



# MADE IN THE USA

## SINCE 1951

FireKing®, ISO 9001-2015, is the preeminent US manufacturer of fire-safe storage solutions used globally by businesses, governments, and consumers to protect their most valuable physical assets from devastation.

We rigorously test our products to industry standards set by Underwriters Laboratories (UL®) to ensure dependability. Our commitment to quality is such that the FireKing® lab is recognized as UL and Intertek (ETL) testing centers.

When you see the FireKing® Certified shield or the UL or ETL mark, have confidence knowing our industry-leading products are tried and tested to defend and protect the assets entrusted within them.

**Trust In FireKing®.**



Self-performed lab testing certifies the product meets UL rating standards



UL or Intertek (ETL) certifies the product meets rating standards set by UL

## THE IMPORTANCE OF PRODUCT RATINGS

**Fire-rating** certifies the product can withstand exposure to fire that burns at a specific temperature for a required amount of time while maintaining an internal temperature below 350°F, the flashpoint of paper. Fire-rating certification varies by temperature and ranges between 1/2-hour to 2-hours.

**Digital-media rating** verifies the product will protect digital-media devices such as hard drives, CDs, DVDs and flash drives from exposure to heat up to 1550°F.

**Water-resistant** products protect its contents from water damage when exposed to sprinklers or fire-hose spray.

**Impact-rating** certifies a unit was pulled from the test furnace and immediately dropped 30-feet onto bricks positioned on a concrete base and then reheated for another 30-minutes in the furnace.

**UL® Listed High-Security Lock** passes rigorous picking, prying and drilling to confirm its professional-grade security.

Visit [ul.com](http://ul.com) and [intertek.com](http://intertek.com) for additional testing information.

The Leader in Fire-Rated Storage Solutions **FireKing®** 



**FILING CABINETS**

VERTICAL | LATERAL | MOBILE | COMBINATION

**STORAGE CABINETS**

DOUBLE-DOOR | SINGLE-DOOR

**SAFES**

COMMERCIAL | PORTABLE | STAND-ALONE

# THE LEADER IN FIRE-RATED FILING CABINETS

## FIRE-RESISTANT INSULATION

Gypsum insulation is reinforced with heavy-gauge lattice, creating stronger cage walls

## STEEL PANELS

If a panel becomes damaged, it can be easily replaced

## FINISH

Environmentally friendly electrostatic powder coating is applied to all sides, including the bottom

## INSULATION BETWEEN ALL DRAWERS

Each drawer is as an independently protected compartment

## WATER-RESISTANT

Prevents water damage from sprinklers and fire-hose spray

## DRAWER PULLS

We offer models with surface mounted and recessed handles



## DRAWER LOCKS

All cabinets include standard key locks; some come standard with UL Listed High-Security locks\*




## E-LOCKS

Available as an add-on for most FireKing® file cabinets\*\*, choose one e-lock for the whole cabinet or one per drawer.



## TWO POSITION DRAWER CATCH™

Allows access to certain drawers while others remain locked.



## FILE-TYPE

**ACCOMMODATIONS** Turtle® models, Patriot by FireKing® and Lateral cabinet models are all designed to suit both file sizes, all within one cabinet.

\*See all lock options and UL security ratings at back of catalog.

\*\*Not available on Turtle®, Patriot by FireKing® or FireShield® models.

\*\*\*Not available on the Patriot by FireKing® models. .


**ALL PRODUCT SPECIFICATIONS PROVIDED IN INCHES (IN) AND POUNDS (LBS)**

## CABINET COLORS

FireKing® filing and storage cabinet models are available in upto eleven color options.

Contact Customer Service to request color samples or to discuss your custom\* options and visit us online to see product visuals for each color.

**See product family sections for specific color availability.**



## DESIGNER FINISHES

Fire-rated storage has never looked so good! Choose a premium Designer Finish for select FireKing® filing cabinet models including Classic Vertical, Turtle®, FireKing 25®, Single- Drawer, and Classic Lateral.

## ACCESSORIES

Tailor filing cabinets to meet your needs!



## CASTERS

Make your file cabinet mobile.



## CROSS TRAYS

Horizontal or vertical, trays sit on standard file drawers and are great for storing small items.



## INNER DRAWER

Add a smooth operating, factory-installed, smaller drawer with glide rails inside the standard file drawer.



## DOCUMENT INSERTS

Opt for document inserts for a convenient way to file various-sized documents; choose a top inside drawer (factory installed) or section inserts with 1 to 6 sections.

Color and Designer Finish samples above are not an exact match and will vary by printer / screen display. \*Color matching will likely increase product cost. \*\*Accessories are not available on all filing cabinets.

**ALL PRODUCT SPECIFICATIONS PROVIDED IN INCHES (IN) AND POUNDS (LBS)**

# FireKing® FILING CABINETS



## FireKing® Lateral File Cabinets

Lateral cabinets have big storage capacity and allow for great visibility and quick access to files. The design requires less pull-out space and accommodates both letter and legal file sizes. Add these functional benefits to its UL fire-rating and you have the ultimate mass-file storage solution. Choose the width and number of drawers.

Available in all colors and Designer Finishes.

MODEL	DRAWERS	HEIGHT	DEPTH	WIDTH	WEIGHT	
					UNIT	SHIP
2-3122-C	2	27 3/4	22 1/8	31 3/16	416	456
2-3822-C				37 1/2	497	532
2-4422-C				44 1/2	549	584
3-3122-C	3	40 1/4	22 1/8	31 3/16	534	574
3-3822-C				37 1/2	716	756
3-4422-C				44 1/2	751	791
4-3122-C	4	52 3/4	22 1/8	31 3/16	754	794
4-3822-C				37 1/2	867	907
4-4422-C				44 1/2	979	1019

MODEL#	UNIT WIDTH	INTERIOR / DRAWER		
		HEIGHT	DEPTH	WIDTH
3122	31 3/16	10 3/8	15 1/8	25 3/16
3822	37 1/2	10 3/4		31 15/16
4422	44 1/2	10 3/4		38 15/16



Lateral File Cabinet  
Black

ALL PRODUCT SPECIFICATIONS PROVIDED IN INCHES (IN) AND POUNDS (LBS)

## 1-Hour FireKing® Classic Vertical

Our most popular vertical filing cabinet offers leading protection and a variety of product options.

- 2, 3 and 4-drawers; letter or legal
- Available in all colors and Designer Finishes
- High-security lock
- Fire and impact rated

## 2-Hour FireKing® Vertical

Our highest fire-rated cabinet delivers the utmost protection against fire, impact and theft with our proprietary insulation, Thermocell II®.

Available in all colors

1-Hour Classic Vertical  
Parchment, Walnut, Black

MODEL#	DRAWERS	HEIGHT	DEPTH	WIDTH		WEIGHT	
				LETTER	LEGAL	UNIT	SHIP
2-1831-C	2	27 3/4	31 9/16	17 3/4	-	318	348
2-2131-C				-	20 13/16	353	383
3-1831-C	3	40 1/4	31 9/16	17 3/4	-	446	476
3-2131-C				-	20 13/16	496	526
4-1831-C	4	52 3/4	31 9/16	17 3/4	-	573	603
4-2131-C				-	20 13/16	634	664
INTERIOR / DRAWER		10 3/8	26	12 3/16	15 1/4		



MODEL#	DRAWERS	HEIGHT	DEPTH	WIDTH		WEIGHT	
				LETTER	LEGAL	UNIT	SHIP
2-1929-2	2	29 1/2	31 3/16	19	-	447	477
2-2130-2		29 7/8	32 1/16	-	21 5/16	518	548
3-1943-2	3	42 13/16	31 3/16	19	-	635	665
3-2144-2		43 7/16	32 1/16	-	21 5/16	712	752
4-1956-2	4	56 3/16	31 3/16	19	-	927	957
4-2157-2		57	32 1/16	-	21 5/16	991	1021
INTERIOR / DRAWER		11 9/16	25 1/8	12 15/16	-		
		11 13/16	26	-	15 1/4		



ALL PRODUCT SPECIFICATIONS PROVIDED IN INCHES (IN) AND POUNDS (LBS)


# FireKing® FILING CABINETS



**Safe-in-a-File®**  
Black, Ivory White



**FireKing 25®**  
Platinum



Legal-size files  
hang side-to-side



Letter-size files  
hang front-to-back

**Turtle®**  
Parchment



1825-Models (25" D)  
accommodate letter and legal size  
files; similar to Turtle® models

**Patriot**  
Black

## Safe-In-A-File®

Cleverly designed with a 2.4 cubic-foot safe behind a false top-drawer panel, this legal-file accommodating cabinet delivers a combination of function and protection.

- Available in all colors
- High-security lock
- Fire and impact rated

MODEL #	DRAWERS	HEIGHT	DEPTH	WIDTH (Legal)	WEIGHT	
					UNIT	SHIP
2-2131-CSF	2	27 3/4	31 9/16	20 13/16	461	501
3-2131-CSF	3	40 1/4			604	644
4-2131-CSF	4	52 3/4			698	728
<b>Interior / File Drawer</b>		10 3/8	26	15 1/4		
<b>Interior / Safe</b>		10 11/16	24 9/16	16 1/16		



## Turtle® by FireKing®

Space-saving 22-inch deep cabinet conveniently accommodates letter and legal file sizes while delivering incredible protection.

- Available in Arctic White, Black, Parchment and all Designer Finishes
- Fire and impact rated

MODEL #	DRAWERS	HEIGHT	DEPTH	WIDTH	WEIGHT	
					UNIT	SHIP
2R1822-C	2	27 3/4	22 1/8	17 3/4	221	251
4R1822-C	4	52 3/4			405	435
<b>Interior / Drawer</b>		10 3/8	15 1/8	12 3/16		

No follower blocks are available for this unit.



## FireKing 25®

Smaller footprint at 25-inches deep matched with all the protection and product options with letter or legal file accommodating models.

- Available in all colors and Designer Finishes
- High-security lock
- Fire and impact rated

MODEL #	DRAWERS	HEIGHT	DEPTH	WIDTH		WEIGHT	
				LETTER	LEGAL	UNIT	SHIP
2-1825-C	2	27 3/4	25 1/16	17 3/4	-	257	287
2-2125-C				-	20 13/16	296	326
4-1825-C	4	52 3/4	25 1/16	17 3/4	-	478	508
4-2125-C				-	20 13/16	521	551
<b>Interior / Drawer</b>		10 3/8	19 3/4	12 3/16	15 1/4		



## Patriot by FireKing®

Get the signature integrity of FireKing® in an economically priced file cabinet without sacrificing quality or protection.

- Available in Black and Parchment
- Cam lock secures 2 drawers
- Fire and impact rated

MODEL #	DRAWERS	HEIGHT	DEPTH	WIDTH		WEIGHT	
				LETTER	LEGAL	UNIT	SHIP
2P1825-C	2	27 3/4	25 1/16	17 3/4		257	287
2P1831-C			31 9/16	17 3/4	-	318	348
2P2131-C			-	20 13/16	353	383	
4P1825-C	4	52 3/4	25 1/16	17 3/4		478	508
4P1831-C			31 9/16	17 3/4	-	573	603
4P2131-C			-	20 13/16	634	664	
<b>Interior/25"(D) Drawer</b>		10 3/8	19 3/4	12 3/16			
<b>Interior / Drawer</b>		10 3/8	26	12 3/16	15 1/4		

Follower blocks available on some models.



# FireKing® FILING CABINETS

# FireKing® FILING CABINETS



**Mobile Pedestal**  
Black



**FireShield®**  
Diamond Stone



**Single-Drawer**  
Parchment



**Card, Check & Note**  
Parchment

## Mobile Pedestal by FireKing®

Compact, mobile and versatile. This unit fits letter and legal file sizes, has a key lock and fulfills other storage needs with a top utility drawer—great for frequently used and personal items. Available in Arctic White, Black and Parchment.

MODEL #	DRAWERS	HEIGHT	DEPTH	WIDTH	WEIGHT	
					UNIT	SHIP
2M1822-1	2	25 1/4	22 1/8	17 3/4	213	220
Interior / File Drawer		10 3/8	15 1/8	12 3/16		



## Single-Drawer by FireKing®

Small but mighty, this filing cabinet is convenient for residential and commercial applications. The unit accommodates both file-size types, is fire-rated and secures contents with a key lock. Available in Arctic White, Black, Parchment, Platinum and Designer Finishes.

MODEL #	DRAWERS	HEIGHT	DEPTH	WIDTH	WEIGHT	
					UNIT	SHIP
1P1822-D	1	15 9/32	22 1/8	17 3/4	110	120
Interior / File Drawer		10 3/8	15 1/8	12 3/16		



## FireShield® by FireKing®

Multi-function and fire-rated protection—all within a compact footprint. This clever design uses a false top drawer to conceal a 1.3-cubic foot safe while the bottom compartment contains a letter-and-legal file-size accommodating drawer. Available in Diamond Stone and Black Stone.

MODEL #	DRAWERS	HEIGHT	DEPTH	WIDTH	WEIGHT	
					UNIT	SHIP
2S1822-D	2	27 3/4	22 1/8	17 3/4	195	237
Interior / File Drawer		10 3/8	15 1/8	12 3/16		



## FireKing® Card, Check & Note

All the FireKing® advantages of fire-rated protection and a high-security key lock plus drawers just over 6-inches tall with an array of versatile inserts for specialty filing needs (inserts sold separately). Available in all colors.

MODEL #	DRAWERS	HEIGHT	DEPTH	WIDTH	WEIGHT	
					UNIT	SHIP
4-2536-C	4	36 1/8	31 9/16	25 5/16	604	644
6-2552-C	6	52 3/4			823	863
Interior / Drawer		6 1/4	26	19 3/4		



# FireKing® STORAGE CABINETS



## FireKing® Storage Cabinets

These are not typical storage cabinets. These are *the storage cabinets*. Each shelf has a weight capacity of 160 lbs. Cabinets are fire rated and outfitted with a UL Listed High Security lock. Available in all colors.

MODEL #	ADJUSTABLE SHELVES	EXTERIOR			INTERIOR			WEIGHT	
		H	D	W	H	D	W	UNIT	SHIP
CF4436-D	2	44	19 1/4	36	39 7/8	15	31 7/8	590	620
CF7236-D	4	72			67 7/8			862	892



# FireKing® STORAGE CABINETS



## End-Tab Filing

Durable, fire-rated and purpose-built—look no further than FireKing end-tab filing storage cabinets. Choose file-size type and size. Available in all colors.

MODEL #	FIXED SHELVES	FILE TYPE	DIVIDERS PER SHELF	EXTERIOR			INTERIOR			WEIGHT	
				H	D	W	H	D	W	UNIT	SHIP
CF4436-MD	3	LETTER	4	44	19 1/4	36	39 7/8	13	31 7/8	668	698
CF4436-MD-LGL	3	LEGAL	6				668	698			
CF7236-MD	6	LETTER	4	72	19 1/4	36	67 7/8	13	31 7/8	918	948
CF7236-MD-LGL	6	LEGAL	6				918	948			



## ACCESSORIES

Tailor our storage cabinets to meet your needs!



### MODULAR FILE DRAWER

Legal-size files sit in two rows, side-by-side while letter-size files hang in a single row.



### PULL-OUT SHELF

Create a convenient and sturdy tabletop workspace in seconds and then hide when not in use.



### BLUEPRINT HOLDER

Organize and protect blueprints with this convenient, unfurled and upright storage solution.





# FireKing® STORAGE CABINETS

**NEW**  
FOR 2024



## FireShield® Storage Cabinet by FireKing®

Fire-rated storage with a keyed lock, designed to fit into a standard cabinet shell. Applications are endless — residential, commercial and retail.



Black Texture (BT) Silver Texture (ST) Parchment Texture (PT)

MODEL #	SHELVES	HEIGHT	DEPTH	WIDTH	WEIGHT	
					UNIT	SHIP
HSC-3422-D	2	34	21 5/8	22 1/8	292	314
	Interior	29 7/8	17	17 7/8		



ALL PRODUCT SPECIFICATIONS PROVIDED IN INCHES (IN) AND POUNDS (LBS)

# FireKing® FIRE & WATER CHESTS

# FireKing® COMMERCIAL SAFES



SS-102



SS-103



SS-104



SS-106

## Sure Seal by FireKing® Fire & Water Chests

Trust in FireKing® for portable water-and-fire-rated protection for your documents, digital media devices and more. Outfitted with dual compression latches, these containers offer waterproof protection and keep contents dry, even after being submerged for hours.

MODEL #	CAPACITY CU. FT.	EXTERIOR			INTERIOR			WEIGHT	
		H	D	W	H	D	W	UNIT	SHIP
<b>1/2-HOUR FIRE RATED</b>									
SS-102	.15	7 5/8	9 13/16	12 3/16	4 1/2	6	9 5/8	19	20
SS-103	.27	6 1/2	12 3/8	15 7/8	3 7/8	8 1/2	13 1/8	27	29
SS-106	.6	13	12 1/2	16	10 1/8	8 3/8	12 3/16	50	51
<b>1-HOUR FIRE RATED</b>									
SS-104	.38	7 5/16	17	19 7/8	3 13/16	12	14 13/16	54	56



## Depository Safes with Trim Safe

Convenient and reliable for protection from theft in business settings.

- Easy under-the-counter installation
- Designed to accept bulky drops; 6" drop slot
- Minimizes opening the main door
- Drill-resistant hard-plate behind electronic lock
- Anti-fish hopper; bolt-down kit included
- Comes standard with Trim Safe

MODEL #	CAPACITY CU. FT.	EXTERIOR			INTERIOR			WEIGHT	
		H	D	W	H	D	W	UNIT	SHIP
SB2014-BLELMS	2.26	20	14	14	19 5/8	11 1/4	13 9/16	92	105
SB2414-BLELMS	2.72	24			23 11/16	10 13/16	13 3/4	102	114



## Trim Safe

Secure yet streamlined cash protection for use at point-of-sale. These under counter safes are a first line of defense against internal theft.

- Ideal for cash-based businesses
- Heavy gauge steel construction
- Slot size: 5 3/8" (W) x 5/8" (H)
- Key lock with two keys

MODEL #	CAPACITY CU. FT.	EXTERIOR			INTERIOR			WEIGHT	
		H	D	W	H	D	W	UNIT	SHIP
MS1206	.2	12	6 13/16	6	11 9/10	5 4/5	5 7/10	13	15





# FireKing® FIRE-RATED SAFES



**KF0812-1WHE**



**KF0915-1WHE**



**KF2418-HBLE**

## Fire-Rated Safes by FireKing®

Whether corporate, commercial, retail or residential, these units fulfill the needs of numerous applications. While the footprint may be compact, these safes are constructed with heavy steel and deliver serious protection from fire and theft.

MODEL #	CAPACITY CU. FT.	INTERIOR	EXTERIOR			INTERIOR			WEIGHT	
			H	D	W	H	D	W	UNIT	SHIP
<b>1-HOUR FIRE RATED</b>										
<b>KF0812-1WHE</b>	.53	1 Tray	11 <sup>3</sup> / <sub>4</sub>	14	16 <sup>1</sup> / <sub>2</sub>	8	9 <sup>1</sup> / <sub>4</sub>	12 <sup>1</sup> / <sub>3</sub>	81	90
<b>KF0915-1WHE</b>	.97	1 Tray	13 <sup>3</sup> / <sub>4</sub>	16 <sup>3</sup> / <sub>4</sub>	19 <sup>2</sup> / <sub>3</sub>	9 <sup>1</sup> / <sub>4</sub>	12	15	117	130
<b>KF1509-1WHE</b>	.97	1 Tray & 1 Shelf	19 <sup>2</sup> / <sub>3</sub>	16 <sup>3</sup> / <sub>4</sub>	13 <sup>3</sup> / <sub>4</sub>	15	12	9 <sup>1</sup> / <sub>4</sub>	116	130
<b>1/2-HOUR FIRE RATED</b>										
<b>KF2418-HBLE</b>	4	2 Shelves	27 <sup>4</sup> / <sub>5</sub>	19	21 <sup>3</sup> / <sub>5</sub>	24 <sup>1</sup> / <sub>4</sub>	15 <sup>1</sup> / <sub>2</sub>	18 <sup>1</sup> / <sub>2</sub>	187	193



**NEW**  
FOR 2024



KF1114-1WHE



KF2115-1WHE



KF2715-1WHE



KF2722-1WHE



KF3522-1WHE



KF5322-1WHE

### Fire-Rated Safes by FireKing®

You can't beat these safes and their 1.26" diameter active bolts that work in three directions and the heavy-duty stationary vertical locking bar coupling to hinge to deter prying attacks. The electronic lock allows multiple users and features an independent glass-plate re-locking device. Safes include adjustable shelves and floor-bolting hardware.

MODEL #	CAPACITY CU. FT.	ADJUSTABLE SHELVES	EXTERIOR			INTERIOR			WEIGHT	
			H	D	W	H	D	W	UNIT	SHIP
KF1114-1WHE	1.2	1	17 <sup>5</sup> / <sub>7</sub>	20 <sup>1</sup> / <sub>3</sub>	20	11 <sup>2</sup> / <sub>3</sub>	13	14	234	260
KF2115-1WHE	2.4	2	27	20 <sup>1</sup> / <sub>3</sub>	21	21	13	15	335	362
KF2715-1WHE	3.6	2	33 <sup>1</sup> / <sub>4</sub>	22 <sup>2</sup> / <sub>3</sub>	21	27 <sup>1</sup> / <sub>4</sub>	15 <sup>2</sup> / <sub>7</sub>	15	401	428
KF2722-1WHE	7.5	2	33 <sup>1</sup> / <sub>4</sub>	29	28	27 <sup>1</sup> / <sub>4</sub>	21 <sup>1</sup> / <sub>2</sub>	22	633	664
KF3522-1WHE	9.7	2	41 <sup>1</sup> / <sub>2</sub>	29	28	35 <sup>1</sup> / <sub>2</sub>	21 <sup>1</sup> / <sub>2</sub>	22	732	763
KF5322-1WHE	14.6	3	59 <sup>1</sup> / <sub>4</sub>	29	28	53 <sup>2</sup> / <sub>9</sub>	21 <sup>1</sup> / <sub>2</sub>	22	988	1033



**FireKing® Lateral File Cabinets**

Model #	File Size	Drawer Count	Lock Type	Color Options	Designer Finishes	Exterior			Interior			Weight		Fire Rating						Digital-Media Rating		Impact Rating	Security	Warranty
						Height	Depth	Width	Height	Depth	Width	Unit	Ship	UL C 350 1/2-Hour	UL C 350 1-Hour	UL C 350 2-Hour	FKC 1/2-Hour	FKC 1-Hour	ETL 1-Hour	ETL 1/2-Hour	ETL 1-Hour	UL 30 Feet	UL High-Security Lock	
2-3122-C	Letter/Legal	2	Medeco Key Lock	All	Yes	27 3/4	22 1/8	31 3/16	10 3/8	15 1/8	25 3/16	416	456		X					X		X	X	Limited lifetime with free replacement after fire guarantee
2-3822-C	Letter/Legal	2		All	Yes	27 3/4	22 1/8	37 1/2	10 3/4	15 1/8	31 15/16	497	532		X					X		X	X	
2-4422-C	Letter/Legal	2		All	Yes	27 3/4	22 1/8	44 1/2	10 3/4	15 1/8	38 15/16	549	584		X					X		X	X	
3-3122-C	Letter/Legal	3		All	Yes	40 1/4	22 1/8	31 3/16	10 3/8	15 1/8	25 3/16	534	574		X					X		X	X	
3-3822-C	Letter/Legal	3		All	Yes	40 1/4	22 1/8	37 1/2	10 3/4	15 1/8	31 15/16	716	756		X					X		X	X	
3-4422-C	Letter/Legal	3		All	Yes	40 1/4	22 1/8	44 1/2	10 3/4	15 1/8	38 15/16	751	791		X					X		X	X	
4-3122-C	Letter/Legal	4		All	Yes	52 3/4	22 1/8	31 3/16	10 3/8	15 1/8	25 3/16	754	794		X					X		X	X	
4-3822-C	Letter/Legal	4		All	Yes	52 3/4	22 1/8	37 1/2	10 3/8	15 1/8	31 15/16	867	907		X					X		X	X	
4-4422-C	Letter/Legal	4		All	Yes	52 3/4	22 1/8	44 1/2	10 3/4	15 1/8	38 15/16	979	1019		X					X		X	X	

**FireKing® 1-Hour Classic Vertical**

Model #	File Size	Drawer Count	Lock Type	Color Options	Designer Finishes	Exterior			Interior			Weight		Fire Rating						Digital-Media Rating		Impact Rating	Security	Warranty
						Height	Depth	Width	Height	Depth	Width	Unit	Ship	UL C 350 1/2-Hour	UL C 350 1-Hour	UL C 350 2-Hour	FKC 1/2-Hour	FKC 1-Hour	ETL 1-Hour	ETL 1/2-Hour	ETL 1-Hour	UL 30 Feet	UL High-Security Lock	
2-1831-C	Letter	2	Medeco Key Lock	All	Yes	27 3/4	31 9/16	17 3/4	10 3/8	26	12 3/16	318	348		X					X		X	Limited lifetime with free replacement after fire guarantee	
2-2131-C	Legal	2		All	Yes	27 3/4	31 9/16	20 13/16	10 3/8	26	15 1/4	353	383		X					X		X		
3-1831-C	Letter	3		All	Yes	40 1/4	31 9/16	17 3/4	10 3/8	26	12 3/16	446	476		X					X		X		
3-2131-C	Legal	3		All	Yes	40 1/4	31 9/16	20 13/16	10 3/8	26	15 1/4	496	526		X					X		X		
4-1831-C	Letter	4		All	Yes	52 3/4	31 9/16	17 3/4	10 3/8	26	12 3/16	573	603		X					X		X		
4-2131-C	Legal	4		All	Yes	52 3/4	31 9/16	20 13/16	10 3/8	26	15 1/4	634	664		X					X		X		

**FireKing® 2-Hour Vertical**

Model #	File Size	Drawer Count	Lock Type	Color Options	Designer Finishes	Exterior			Interior			Weight		Fire Rating						Digital-Media Rating		Impact Rating	Security	Warranty
						Height	Depth	Width	Height	Depth	Width	Unit	Ship	UL C 350 1/2-Hour	UL C 350 1-Hour	UL C 350 2-Hour	FKC 1/2-Hour	FKC 1-Hour	ETL 1-Hour	ETL 1/2-Hour	ETL 1-Hour	UL 30 Feet	UL High-Security Lock	
2-1929-2	Letter	2	Medeco Key Lock	All	n/a	29 1/2	31 9/16	19	11 9/16	25 1/8	12 15/16	447	477			X				X		X	Limited lifetime with free replacement after fire guarantee	
2-2130-2	Legal	2		All	n/a	29 7/8	32 1/16	21 5/16	11 13/16	26	15 1/4	518	548			X				X		X		
3-1943-2	Letter	3		All	n/a	42 13/16	31 3/16	19	11 9/16	25 1/8	12 15/16	635	665			X				X		X		
3-2144-2	Legal	3		All	n/a	43 7/16	32 1/16	21 5/16	11 13/16	26	15 1/4	712	752			X				X		X		
4-1956-2	Letter	4		All	n/a	56 3/16	31 3/16	19	11 9/16	25 1/8	12 15/16	927	957			X				X		X		
4-2157-2	Legal	4		All	n/a	57	32 1/16	21 5/16	11 13/16	26	15 1/4	991	1021			X				X		X		

**Safe-In-A-File**

Model #	File Size	Drawer Count	Lock Type	Color Options	Designer Finishes	Exterior			Interior			Weight		Fire Rating						Digital-Media Rating		Impact Rating	Security	Warranty
						Height	Depth	Width	Height	Depth	Width	Unit	Ship	UL C 350 1/2-Hour	UL C 350 1-Hour	UL C 350 2-Hour	FKC 1/2-Hour	FKC 1-Hour	ETL 1-Hour	ETL 1/2-Hour	ETL 1-Hour	UL 30 Feet	UL High-Security Lock	
2-2131-CSF	Legal	2	Safe: Combo Lock Medeco Key Lock	All	n/a	27 3/4	31 9/16	20 13/16	10 3/8	26	15 1/4	461	501		X					X		X	Limited lifetime with free replacement after fire guarantee	
3-2131-CSF	Legal	3		All	n/a	40 1/4	31 9/16	20 13/16	10 3/8	26	15 1/4	604	644		X					X		X		
4-2131-CSF	Legal	4		All	n/a	52 3/4	31 9/16	20 13/16	10 3/8	26	15 1/4	698	728		X					X		X		

**FireKing 25®**

Model #	File Size	Drawer Count	Lock Type	Color Options	Designer Finishes	Exterior			Interior			Weight		Fire Rating						Digital-Media Rating		Impact Rating	Security	Warranty
						Height	Depth	Width	Height	Depth	Width	Unit	Ship	UL C 350 1/2-Hour	UL C 350 1-Hour	UL C 350 2-Hour	FKC 1/2-Hour	FKC 1-Hour	ETL 1-Hour	ETL 1/2-Hour	ETL 1-Hour	UL 30 Feet	UL High-Security Lock	
2-1825-C	Letter	2	Medeco Key Lock	All	Yes	27 3/4	25 1/16	17 3/4	10 3/8	19 3/4	12 3/16	257	287		X					X		X	Limited lifetime with free replacement after fire guarantee	
2-2125-C	Legal	2		All	Yes	27 3/4	25 1/16	20 13/16	10 3/8	19 3/4	15 1/4	296	326		X					X		X		
4-1825-C	Letter	4		All	Yes	52 3/4	25 1/16	17 3/4	10 3/8	19 3/4	12 3/16	478	508		X					X		X		
4-2125-C	Legal	4		All	Yes	52 3/4	25 1/16	20 13/16	10 3/8	19 3/4	15 1/4	521	551		X					X		X		

**Turtle® by FireKing®**

Model #	File Size	Drawer Count	Lock Type	Color Options	Designer Finishes	Exterior			Interior			Weight		Fire Rating						Digital-Media Rating		Impact Rating	Security	Warranty
						Height	Depth	Width	Height	Depth	Width	Unit	Ship	UL C 350 1/2-Hour	UL C 350 1-Hour	UL C 350 2-Hour	FKC 1/2-Hour	FKC 1-Hour	ETL 1-Hour	ETL 1/2-Hour	ETL 1-Hour	UL 30 Feet	UL High-Security Lock	
2R1822-C	Letter/Legal	2	Standard Key Lock	AW, BL, PA	Yes	27 3/4	22 1/8	17 3/4	10 3/8	15 1/8	12 3/16	221	251		X					X		X		Limited lifetime; free after fire replacement guarantee
4R1822-C	Letter/Legal	4		AW, BL, PA	Yes	52 3/4	22 1/8	17 3/4	10 3/8	15 1/8	12 3/16	405	435		X					X		X		

**Patriot by FireKing®**

Model #.	File Size	Drawer Count	Lock Type	Color Options	Designer Finishes	Exterior			Interior			Weight		Fire Rating						Digital-Media Rating		Impact Rating	Security	Warranty
						Height	Depth	Width	Height	Depth	Width	Unit	Ship	UL C 350 1/2-Hour	UL C 350 1-Hour	UL C 350 2-Hour	FKC 1/2-Hour	FKC 1-Hour	ETL 1-Hour	ETL 1/2-Hour	ETL 1-Hour	UL 30 Feet	UL High-Security Lock	
2P1825-C	Letter/Legal	2	Cam Lock	BL, PA	n/a	27 3/4	25 1/16	17 3/4	10 3/8	19 3/4	12 3/16	257	287		X								X	Limited 10-Year
2P1831-C	Letter	2		BL, PA	n/a	27 3/4	31 9/16	17 3/4	10 3/8	26	12 3/16	318	348		X								X	
2P2131-C	Legal	2		BL, PA	n/a	27 3/4	31 9/16	20 13/16	10 3/8	26	15 1/4	353	383		X								X	
4P1825-C	Letter/Legal	4		BL, PA	n/a	52 3/4	25 1/16	17 3/4	10 3/8	19 3/4	12 3/16	478	508		X								X	
4P1831-C	Letter	4		BL, PA	n/a	52 3/4	31 9/16	17 3/4	10 3/8	26	12 3/16	573	603		X								X	
4P2131-C	Legal	4		BL, PA	n/a	52 3/4	31 9/16	20 13/16	10 3/8	26	15 1/4	634	664		X								X	

**Mobile Pedestal by FireKing®**

Model #.	File Size	Drawer Count	Lock Type	Color Options	Designer Finishes	Exterior			Interior			Weight		Fire Rating						Digital-Media Rating		Impact Rating	Security	Warranty	
						Height	Depth	Width	Height	Depth	Width	Unit	Ship	UL C 350 1/2-Hour	UL C 350 1-Hour	UL C 350 2-Hour	FKC 1/2-Hour	FKC 1-Hour	ETL 1-Hour	ETL 1/2-Hour	ETL 1-Hour	UL 30 Feet	UL High-Security Lock		
2M1822-1	Letter/Legal	2	Cam Lock	AW, BL, PA	n/a	25 1/4	22 1/8	17 3/4	10 3/8	15 1/8	12 3/16	213	220									X			Limited 90-Day

**FireShield® by FireKing®**

Model #.	File Size	Drawer Count	Lock Type	Color Options	Designer Finishes	Exterior			Interior			Weight		Fire Rating						Digital-Media Rating		Impact Rating	Security	Warranty	
						Height	Depth	Width	Height	Depth	Width	Unit	Ship	UL C 350 1/2-Hour	UL C 350 1-Hour	UL C 350 2-Hour	FKC 1/2-Hour	FKC 1-Hour	ETL 1-Hour	ETL 1/2-Hour	ETL 1-Hour	UL 30 Feet	UL High-Security Lock		
2S1822-D	Letter/Legal	2	Cam Lock	BS, DS	n/a	27 3/4	22 1/8	17 3/4	10 3/8	15 1/8	12 3/16	195	237							X		X			Limited 1-Year

**Single-Drawer by FireKing®**

Model #	File Size	Drawer Count	Lock Type	Color Options	Designer Finishes	Exterior			Interior			Weight		Fire Rating						Digital-Media Rating		Impact Rating	Security	Warranty	
						Height	Depth	Width	Height	Depth	Width	Unit	Ship	UL C 350 1/2-Hour	UL C 350 1-Hour	UL C 350 2-Hour	FKC 1/2-Hour	FKC 1-Hour	ETL 1-Hour	ETL 1/2-Hour	ETL 1-Hour	UL 30 Feet	UL High-Security Lock		
1P1822-D	Letter/Legal	1	Cam Lock	AW, BL, PA, PL	Yes	15 9/32	22 1/8	17 3/4	10 3/8	15 1/8	12 3/16	110	120									X			Limited 1-Year

**FireKing® Card, Check & Note**

Model #	File Size	Drawer Count	Lock Type	Color Options	Designer Finishes	Exterior			Interior			Weight		Fire Rating						Digital-Media Rating		Impact Rating	Security	Warranty		
						Height	Depth	Width	Height	Depth	Width	Unit	Ship	UL C 350 1/2-Hour	UL C 350 1-Hour	UL C 350 2-Hour	FKC 1/2-Hour	FKC 1-Hour	ETL 1-Hour	ETL 1/2-Hour	ETL 1-Hour	UL 30 Feet	UL High-Security Lock			
4-2536-C	Specialty	4	Medeco	All	n/a	36 1/8	31 9/16	25 5/16	6 1/4	26	19 3/4	604	644		X									X	X	Limited lifetime; free after fire replacement guarantee
6-2552-C	Specialty	6	Key Lock	All	n/a	52 3/4	31 9/16	25 5/16	6 1/4	26	19 3/4	823	863		X									X	X	

# STORAGE CABINETS



## FireKing® Storage Cabinets

Model #	Shelves & Type	Lock Type	Color Options	Designer Finishes	Exterior			Interior			Weight		Fire Rating						Digital-Media Rating		Impact Rating	Security	Warranty	
					Height	Depth	Width	Height	Depth	Width	Unit	Ship	UL C 350 1/2-Hour	UL C 350 1-Hour	UL C 350 2-Hour	FKC 1/2-Hour	FKC 1-Hour	ETL 1-Hour	ETL 1/2-Hour	ETL 1-Hour	UL 30 Feet	UL High-Security Lock		
CF4436-D	2, Adjustable	Medeco Key Lock	All	n/a	44	19 1/4	36	39 7/8	15	31 7/8	590	620		X								X	Limited lifetime; free after fire replacement guarantee	
CF7236-D	4, Adjustable		All	n/a	72	19 1/4	36	67 7/8	15	31 7/8	862	892		X										X
CF4436-MD	3, Fixed		All	n/a	44	19 1/4	36	39 7/8	13	31 7/8	668	698		X										X
CF4436-MD-LGL	3, Fixed		All	n/a	44	19 1/4	36	39 7/8	13	31 7/8	668	698		X										X
CF7236-MD	6, Fixed		All	n/a	72	19 1/4	36	67 7/8	13	31 7/8	918	948		X										X
CF7236-MD-LGL	6, Fixed		All	n/a	72	19 1/4	36	67 7/8	13	31 7/8	918	948		X										X

**NEW** FOR 2024

## FireShield Storage Cabinet by FireKing®

Model #	Adjustable Shelves	Lock Type	Color Options	Designer Finishes	Exterior			Interior			Weight		Fire Rating						Digital-Media Rating		Impact Rating	Security	Warranty	
					Height	Depth	Width	Height	Depth	Width	Unit	Ship	UL C 350 1/2-Hour	UL C 350 1-Hour	UL C 350 2-Hour	FKC 1/2-Hour	FKC 1-Hour	ETL 1-Hour	ETL 1/2-Hour	ETL 1-Hour	UL 30 Feet	UL High-Security Lock		
HSC-3422-D	2	Key Lock	BT, ST, PT	n/a	34	21 5/8	22 1/8	29 7/8	17	17 7/8	292	314						X						Limited 1-Year

**Sure Seal Fire & Water Chests by FireKing®**

Model #.	Capacity (cu. ft.)	Lock Type	Color	Exterior			Interior			Weight		Fire Rating						Digital-Media Rating		Impact Rating	Security	Warranty	
				Height	Depth	Width	Height	Depth	Width	Unit	Ship	UL C 350 1/2-Hour	UL C 350 1-Hour	UL C 350 2-Hour	FKC 1/2-Hour	FKC 1-Hour	ETL 1-Hour	ETL 1/2-Hour	ETL 1-Hour	UL 30 Feet	UL High-Security Lock		
SS-102	0.15	Standard Key Lock	Taupe	7 5/8	9 13/16	12 3/16	4 1/2	6	9 5/8	19	20	X											Limited 7-Year
SS-103	0.27		Taupe	6 1/2	12 3/8	15 7/8	3 7/8	8 1/2	13 1/8	27	29	X											
SS-106	0.60	Dual-Compression Latches	Taupe	13	12 1/2	16	10 1/8	8 3/8	12 3/16	50	51	X											
SS-104	0.38		Taupe	7 5/16	17	19 7/8	3 13/16	12	14 13/16	54	56		X										

**Depository Safes with Trim Safe by FireKing®**

Model #	Capacity (cu. ft.)	Lock Type	Color	Exterior			Interior			Weight		Fire Rating						Digital-Media Rating		Impact Rating	Security	Warranty	
				Height	Depth	Width	Height	Depth	Width	Unit	Ship	UL C 350 1/2-Hour	UL C 350 1-Hour	UL C 350 2-Hour	FKC 1/2-Hour	FKC 1-Hour	ETL 1-Hour	ETL 1/2-Hour	ETL 1-Hour	UL 30 Feet	UL High-Security Lock		
SB2014-BLEL	2.26	Electronic Lock	BL	20	14	14	19 5/8	11 1/4	13 9/16	92	105												Limited 1-Year
SB2414-BLEL	2.72		BL	24	14	14	23 11/16	10 13/16	13 3/4	102	114												

**Trim Safe**

Model #	Capacity (cu. ft.)	Lock Type	Color	Exterior			Interior			Weight		Fire Rating						Digital-Media Rating		Impact Rating	Security	Warranty	
				Height	Depth	Width	Height	Depth	Width	Unit	Ship	UL C 350 1/2-Hour	UL C 350 1-Hour	UL C 350 2-Hour	FKC 1/2-Hour	FKC 1-Hour	ETL 1-Hour	ETL 1/2-Hour	ETL 1-Hour	UL 30 Feet	UL High-Security Lock		
MS1206	0.20	Standard Key Lock	BL	12	6 13/16	6	11 9/10	5 4/5	5 7/10	13	15												Limited 1-Year

**NEW** FOR 2024

**Fire-Rated Safes by FireKing®**

Model #	Capacity (cu. ft.)	Adjustable Shelves	Lock Type	Color	Exterior			Interior			Weight		Fire Rating						Digital-Media Rating		Impact Rating	Security	Warranty
					Height	Depth	Width	Height	Depth	Width	Unit	Ship	UL C 350 1/2-Hour	UL C 350 1-Hour	UL C 350 2-Hour	FKC 1/2-Hour	FKC 1-Hour	ETL 1-Hour	ETL 1/2-Hour	ETL 1-Hour	UL 30 Feet	UL High-Security Lock	
KF0812-1WHE	.53	1 Tray	Electronic Lock	WH	11 3/4	14	16 1/2	8	9 1/4	12 1/3	81	90											Limited 1-Year; free after fire replacement guarantee
KF0915-1WHE	.97	1 Tray		WH	13 3/4	16 3/4	19 2/3	9 1/4	12	15	117	130											
KF1509-1WHE	.97	1 & 1 Tray		WH	19 2/3	16 3/4	13 3/4	15	12	9 1/4	116	130											
KF1114-1WHE	1.2	1		WH	17 5/7	20 1/3	20	11 2/3	13	14	234	260											
KF2115-1WHE	2.4	2		WH	27	20 1/3	21	21	13	15	335	362											
KF2418-HBLE	4.0	2		BL	27 4/5	19	21 3/5	24 1/4	15 1/2	18 1/2	187	193				X							
KF2715-1WHE	3.6	2		WH	33 1/4	22 2/3	21	27 1/4	15 2/7	15	401	428					X						
KF2722-1WHE	7.5	2		WH	33 1/4	29	28	27 1/4	21 1/2	22	633	664					X						
KF3522-1WHE	9.7	2		WH	41 1/2	29	28	35 1/2	21 1/2	22	732	763					X						
KF5322-1WHE	14.6	3		WH	59 1/4	29	28	53 2/9	21 1/2	22	988	1033					X						